## **Image Access Scanners**

Intelligent Products Driven by Design and Function





**Product Catalog 2020** 



## World Headquarters

Image Access GmbH Hatzfelder Straße 161-163 42281 Wuppertal, Germany Phone: +49 (202) 270 580





## U.S. Headquarters

Image Access LP 2511 Technology Drive, Suite 109 Elgin, IL 60124 USA

Phone: +1 (224) 293-2585

For more information, visit us at:

www.imageaccess.de www.imageaccess.us





°03/2020 by Image Access GmbH. All rights reserved. Scan2Net®, Scan2Pad®, Bookeye® and WideTEK® are registered trademarks in the United States, Europe and other countries. All other brand names and trademarks are property of their respective owners. All specifications are subject to change without notice.

Bookeye® 4 V2 Basic is an entry level book scanner but still a full-fledged member of the Bookeye family, for use anywhere where grayscale is enough. Equipped with a standard scanning application available via the large TFT touchscreen, Bookeye 4 Basic scans magazines, files, folders, loose or bound documents at a scanner resolution of 400 x 400 dpi at high speed. Images can be stored to a USB disk or sent via eMail, uploaded to an FTP server, printed to any network or connected printer or saved on a network drive. The client interface is optional.

Scanner Optics	CCD camera, scans in grayscale, B&W
Resolution	400 x 400 dpi scanner resolution
Document Size	460 x 620 mm (18.0 x 24.4 inch) > A2
Fastest Speed	A2+ @ 150 dpi: 0.9 seconds
Color Depth	16 bit grayscale
Scan output	8 bit grayscale, bitonal, enhanced halftone
Output Formats	Multipage PDF (PDF/A) and TIFF, JPEG, JPEG 2000, PNM, PNG, BMP, TIFF (Raw, G3, G4, LZW, JPEG), AutoCAD DWF, JBIG, DjVu, DICOM, PCX, Postscript, EPS, Raw data
Size H x W x D & Weight	780 x 670 x 670 mm (30.7 x 26.4 x 26.4 inches) 40.5 kg (90 lbs.)
Quality (min.)	ISO 19264-1 level B, FADGI **
Power Consumption	< 0.5 W (Sleep) / 2.5 W (Standby) / 75 W (Ready to scan) / 130 W (Scanning)



V2 Basic



- Overhead book scanner for formats up to A2+. 400 x 400 dpi scanner resolution, easily upgradable to color or 600 dpi professional
- V-shaped book cradle 120 180 degrees
- Large 22" external preview screen, 2 x USB ports
- ✓ Automatic finger & thumb removal, auto crop & deskew
- Scan2USB-Walk up scanning to USB, Scan2Print-output to any connected printer, Scan2Network-output to any network drive, Scan2FTP, Scan2Mail
- Easy installation via Scan2Net® technology

## Worldwide Quality, Safety & Environment Certifications

Image Access scanners are environmentally friendly, comply to the highest security standards and do not interfere with other devices. We have also made sure that no harmful radiation in the form of electromagnetic emission and UV or infrared light exists. Because these kinds of scanners are heavy production machines with inherent risks to the operator, no one should operate a scanner from a vendor who cannot provide at least a safety report according to IEC/EN 62368.

Image Access scanners conform to the many national and international standards. Our scanners have been tested and certified by independent laboratories and we can also provide test reports of each standard on paper upon request.









IEC 62368-1 - EN 62368-1















Image Access GmbH Hatzfelder Strasse 161-163 42281 Wuppertal Germany



Image Access LP 2511 Technology Drive Elgin, IL 60124 USA